

C. Earl Hunter, Commissioner

Promoting and protecting the health of the public and the environment.

Public Notice

Scheduling of Public Hearing

The SCDHEC-Office of Ocean and Coastal Resource Management has scheduled a public hearing on application P/N# 2001-1E-136-P(Revised), Rutledge Leland, to modify existing marina facilities on Jeremy Creek, McClellanville, Charleston County, South Carolina.

This public hearing is scheduled for

Thursday, June 21, 2007, 6:00 PM

At Saint James Elementary School, School Cafeteria, 8900 North Highway 17,

McClellanville, Charleston County, South Carolina

All interested persons are urged to attend and voice their comments on the project on public notice. Oral statements will be heard at the meeting, but for the sake of accuracy, important facts and statements should be submitted in written form to the presiding officer at the meeting or mailed to:

SCDHEC-OCRM 1362 McMillan Ave, Suite 400 Charleston, SC 29405 ATTN: Steve Brooks

May 25, 2007

CERT 21-07 May 25, 2007 PUBLIC NOTICE

S. C. DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL

OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT COASTAL ZONE MANAGEMENT CONSISTENCY CERTIFICATION

In accordance with the S. C. Coastal Zone Management Act of 1977, as amended, Chapter V, S. C. Coastal Zone Management Program Document and the S. C. Administrative Procedures Act, the following projects have been received for determination of consistency with the S. C. Coastal Zone Management Program. Information on the Projects is available for public inspection at the:

Office of Ocean and Coastal Resource Management S. C. Department of Health and Environmental Control 1362 McMillan Avenue, Suite 400 Charleston, South Carolina 29405

Comments must be received within ten days of the date of this public notice by June 4, 2007. The following projects are listed by project name or applicant, location, type of activity, type of permit, and permitting agency (see attached list of abbreviations and keys):

Berkeley County

Howe Hall AIM School, ID# 08-07-05-05, Permit Number SCR10G288, TMS# 252-01-03-008, located at 115 Howe Hall Road, Goose Creek, OCRM (SW)

Charleston County

- Watermark Multi Family, ID# 10-05-10-13A, Permit Number SCR10G295, TMS# 560-00-00-036, & 054, WW/WS, SCDHEC# 41228/58928, located South of Stuart Engals, East of Bowman, Mount Pleasant, OCRM (SW) (WW/WS)
- Hess Express # 40383, ID# 10-07-05-07, Permit Number SCR10G290, TMS# 559-00-00-048, & 049, located at 1683 Highway 17 North, Mount Pleasant, OCRM (SW)
- E.E. G. Building Expansion, ID# 10-07-05-08, Permit Number SCR10G293, TMS# 388-00-00-223, located at 10179 Highway 78, Ladson, OCRM (SW)
- Villages @ Bulls Bay, ID# 10-07-05-10, Permit Number SCR10G307, TMS# 681-00-00-009, WS, SCDHEC# 41267/58940, located on Doar Road off of Highway 17 North, Awendaw, OCRM 9SW) (WS)
- WPC Office Building, Phase 2, ID# 10-07-05-13, Permit Number SCR10G315, TMS# 400-00-00-128, & 036, located on the northwest corner of Reynolds Avenue and N. Carolina Avenue, North Charleston, OCRM (SW)
- MSC Building, ID# 10-07-05-14, Permit Number SCR10G317, TMS# 560-00-00-036, & 054, WW/WS, SCDHEC# 41330/58962, located off of Hungryneck Boulevard, Mount Pleasant, OCRM (SW) (WW/WS)
- The Park at Corey Woods, WW/WS, SCDHEC# 41287/58945, TMS# 136-15-03-049, located off of intersection of Wilson Road and Miken Lane, Summerville, OCRM (WW/WS)

Colleton County

- Self Clean Kar Wash, Inc., Permit ID# 15-07-04-03, Permit Number SCR10G275, TMS# 163-14-00-004, located at 702 South. Jefferies Boulevard, Walterboro, OCRM (SW)
- Sandy Pines, Phase 2, Permit ID# 15-07-05-01, Permit Number SCR10G279, TMS# 177-00-00-074, located on Saturn Lane off Cane Street, West of Walterboro, OCRM (SW)

Dorchester County

The Ponds, Phase 2, Section 1, Permit ID# 18-06-03-01B, Permit Number SCR10G318, TMS# 151-00-00-046, WW, SCDHEC# 26167/58970, WS, SCDHEC# 26167/58969, located off of 1800 feet north of the intersection of Dorchester Road and 17A, Summerville, OCRM (SW) (WW/WS)

Georgetown County

Huntington Trace, ID# 22-07-05-02, Permit Number SCR10G306, TMS# 04-147-002, WW/WS, SCDHEC# 41249/58938, located off of Trace Drive near US Highway 17, North Litchfield, OCRM (SW) (WW/WS) NOTE: This project is proposed to impact 0.12 acres of federally non-jurisdictional wetlands. These proposed impacts require approval under the SCZZM program. This plan will all of a 0.12 acre wetland for a total impact of 0.12 acres of non-jurisdictional wetlands. No mitigation is proposed at this time.

Summergate at Pawleys Island, ID# 22-07-05-03, Permit Number SCR10G316, TMS# 04-0413-070-00-00, located

off of Highway 17 South, adjacent to Slat Marsh Court, Pawleys Island, OCRM (SW)

Horry County

Ultra Cosmetics, Permit ID# 26-00-03-16C, Permit Number SCR10G237, TMS#180-00-02-198, located within the Coastal Grande Mall complex between Highway 17 Bypass and Highway 501, Myrtle Beach, OCRM (SW) Lake Shore Village – Extension of Oleander Drive, Permit ID# 26-07-05-06, Permit Number SCR10G242, TMS# 173-00-04-113, 114, and 090, WS/WW, SCDHEC# 40987/58890, located off of 33rd Avenue North and U.S. Highway 17 Bypass, Myrtle Beach, OCRM (SW)(WS/WW)

WMSC #4664-00 Myrtle Beach West, Permit ID# 26-07-05-07, Permit Number SCR10G250, TMS#151-00-02-046 and portion of 151-00-02-045, WS/WW, SCDHEC# 41027/58895, located off of US Highway 501 north of Myrtle Ridge Drive, OCRM (SW)(WS/WW)

Jasper County

Ridgeland Correctional-Road Repairs, Permit 1D# 27-07-04-03, Permit Number SCR10G277, TMS# 062-00-10-048, located on East Frontage Road, North of Ridgeland, OCRM (SW)

AGENCIES ABBREVIATIONS

BCDCOG Berkeley, Charleston, Dorchester Council of Governments

BCWSA Berkeley County Water and Sanitation Authority
EQC Environmental Quality Control (SCDHEC)
DCWSC Dorchester County Water and Sewer Commission

GCWSD Georgetown County Water and Sewer District

GSWSA Grand Strand WSA

LCG Lowcountry Council of Governments
OCRM Ocean and Coastal Resource Management

BCB Budget and Control Board

FBPWD Folly Beach Public Works Department

GCPW Goose Creek Public Works

SCDHEC S. C. Department of Health and Environmental Control

SCDNR S. C. Department of Natural Resources SCDOT S. C. Department of Transportation

SCGO S. C. Governor's Office SCPSA S. C. Public Service Authority

SCPW Summerville CPW USAF U. S. Air Force

USACOE
USDA
U. S. Army Corps of Engineers
U. S. Department of Agriculture
USDE
U. S. Department of Energy

USDHUD U. S. Department of Housing and Urban Development

USDOT U. S. Department of Transportation
USFHA U. S. Farmers Home Administration
USFWS U. S. Fish and Wildlife Service

USFS U. S. Forest Service

USICC U. S. Interstate Commerce Commission

USMC U. S. Marine Corps

USN U. S. Navy WCOG Waccamaw COG

MPWWSC Mount Pleasant Water Works and Sewer Commission

MCCPW Moncks Corner CPW

PERMITS AND OTHER ABBREVIATIONS

404 placement of dredged or fill material in wetlands

AIWW Atlantic Intracoastal Waterway
AMP archaeological master plan

A-95 grant review form

AQ air quality

COG council of governments
CPW commissioners of public works

DMP dock master plan FC federal consistency GR misc. grant review

LF landfill ND no discharge NWP nation wide permit

OTHER misc. permit, grant, or plan preliminary engineering report

S/D subdivision

SCNW South Carolina Navigable Waters

SW stormwater

UST underground storage tank WMP wetland master plan

WS water supply

WSA water and sewer authority

WW wastewater

WTP wastewater treatment plant

SPECIAL NOTES

- *DMPs Dock Master Plans OCRM is reviewing the listed DMPs for planning purposes only. Permitting decisions will occur when future dock applications are processed by OCRM for individual property owners. This document is used as a planning tool it is not subject to the appeal. OCRM welcomes comments from the public on these planning documents.
- **WMPs Wetland Master Plans OCRM is reviewing the listed WMPs for planning purposes only. Permitting decisions will occur when future applications are processed by OCRM, which include impacts to freshwater wetlands. This document is used as a planning tool; it is not subject to appeal. OCRM welcomes comments from the public on these planning documents.
- ***SWMPs Stormwater Master Plans OCRM is reviewing the listed SWMPs for planning purposes only. Permitting decisions will occur when future applications are processed by OCRM. OCRM welcomes comments from the public on these planning documents.
- ****PERs Preliminary Engineering Reports OCRM is reviewing the lists PERs for the purpose of commenting to other sections of DHEC concerning this document. OCRM will not be issuing a coastal zone consistency certification at this time but providing comments. If this proposal moves forward to the permitting process, OCRM would at that time do a full coastal zone consistency review.



C NSW Notice of Intent (NOI) for Stormwater Discharges from

Large and Small Construction Activities LESTON OFFICE NPDES General Permit SCR100000							
for of	ficial use only		for official use only				
File nu	mber: 22 07 - 65	.e <u>J</u>					
Permit	number: SCR1063	صره			10 m		
Submi	tral nackage comple	1e. 5-22-17m					
Submittal package complete: $5 - 22 \cdot 17m$ Public Notice Start Date (OCRM only): $5 \cdot 25 \cdot 27$							
			,				
entity under		-			· .		
	:t/ Site Name: <u>Hun</u>		Cot	County: Georgetown			
Do yo	u want this project t	o be considered for the	Expedited Permitting Program	(EPP)? □ Yes	. ₩ No (See instr	uctions.)	
Pro Pe Mi Ph	rmit Contact (if own ailing Address: <u>121 -</u> one: (Day) <u>(843)</u> -	eris company); <u>Browder</u> <u>Screven Street</u> <u>240-8803</u> (Mot	Huntington Trace, LLC McGill Com City Georgetown Dile)	State: <u>s</u> (Fax) <u>(843</u>	C Zip: <u>29442</u>) - 235-4001_		
 II. Property Information A. Site Location (street address, nearest intersection, etc.): Trace Drive, N. Litchfield near US Hwy. 17 City/Town (if in limits); N. Litchfield Latitude: 33 ° 29 ' 43 "N Longitude: -79 ° 05 ' 06 "W Tax map # (list all): 04-147-002 B. Property Owner (if different from section I above): Mailing Address:							
 III. Site information A. Disturbed area (to the nearest tenth of an acre): 1.9 Total area: 2.2 B. Is this project part of a Larger Common: Plan for Development or Sale (LCP)? Yes No If yes, what is the previous state permit number? Previous NPDES number: SCR10 LCP/ Overall Development Name: Previous NPDES number: SCR10 LCP/ Overall Development Name: C. Start Date (MM/DD/YYYY): 06 / 30 / 2007 Completion Date: 12 / 31 / 2007 D. Is this site located on Indian Lands? Yes No If yes, name of reservation. E. Type of Activity (check all that apply): Commercial Residential: Single-family Linear (Roads, utility lines, etc.) Other: Institutional Residential: Multi-family Site Preparation (No new impervious) F. Are there any flooding problems downstream or adjacent to this site? Yes No G. Is this NOI being submitted in response to a Notice to Comply issued by S.C. DHEC? Yes No H. Is any part of the property located inside an MS4 or urbanized area? Yes No If yes, list the MS4 operator or urbanized area name. 							
	aterbody Information						
A.	Nearest receiving v	vaterbody(s): <u>Flagg Po</u> ed receiving waterbody(s	na Distance (1): Clubhouse Creek	to this waterb	oody (feet): 1,	200_	
	B. Weflands/Water	s of the State					
			If yes, delineated/identified?	Impacts?	Amount of imp		
	1. Waters of the U.S		⊠ Yes □ No	☑ Yes ☑ No	 	Feet	
	a. Perennial stream		Yes No	D Yes D No	Ac	Feet	
	b. intermittent street		O Yes O No	O Yes O No	AC	Feet	
	c. Ephemeral strea		Yes DNo	☐ Yes ☐ No	AC	Feet	
	d. Jurisdictional we	tiands Wyes I No	Ø Yes □ No	D Yes No	AC	Feet	
		il wetlands 🛭 Yes 🗆 No	Yes D No	Ø Yes □ No		Feet	
	f. Other (List):	☐ Yes ☑ No	☐ Yes ☐ No	☐ Yes ☐ No	AC	Feet	
	2. If yes for impacts in item B.1, has a USACOE permit been applied for or obtained for those impacts? ☐ Yes ☐ No ☒ N/A If yes, list the permit/ application number.						

C.	Impaired Waterbodies						
	Do stormwater (SW) discharges from the site drain to a watershed that drains to a DHEC WQ monitoring site (WQMS)						
	1. Listed on the most current 303(d) List for Impaired Waters? Yes No						
	a. If yes for (1), is there an unimpaired WQMS between your site and the impaired WQMS? IT Yes, MILES						
	b. If no for (a), list the waterbody Clubhouse Creek (04-09) List the impairment(s). FC c. Will construction SW discharges from your site contain the pollutant(s) of impairment? Yes I No						
	a. If yes for (c), will use of the selected BMPs ensure that the site's discharges will not contribute to be consequent						
	tortuer water duality standard violations \$ KI Yes 🔲 No						
	2. For which a TMDL(s) has been developed? Yes No						
	a. If yes for (2), list the waterbody List the impairment(s)						
	c. If no for (b), will construction SW discharges from your site contain the pollutant of impairment?						
	□ Yes □ No						
	 d. If yes for (c), are your discharges consistent with the assumptions and requirements of the TMDL(s)? \(\sigma\) Yes \(\sigma\) No 						
	e. If no for (d), will use of the selected BMFs ensure that the site's discharges will not contribute to or cause						
	iurine: water quality standard violations? 🖸 Yes 📋 No						
D.	Are S.C. Navigable Waters (SCNW) on the site? Yes No if yes, list the SCNW:						
	Will any construction activities cross over or occur in, under, or through the SCNW? Yes No If yes, then describe activity (e.g., road crossing, sub aqueous utility line).						
	figs on SCNW permit been issued for this site? If Yes, for all activities. If Yes, for some activities. If No.						
	if yes, list permit number and corresponding activities.						
.,							
٧.	Operator Information A SWPPP Preparer: Michael E Redmond R R						
	A. SWPPP Preparer: Michael F. Redmond, P.E. S.C. Registration #: 8285 Company/ Firm: Engineering & Technical Services, Inc. S.C. COA #: 0439						
	Modifing Address: Post_Office_Box_2040						
	Phone: (Day) <u>(843) - 237 - 3002</u> (Mobile) - (Fax) (843) - 237 - 2269						
	Email address (aptional): mredmond@etsengineers.com B. Operator of Day-to-Day Site Activities [ODSA] (Company or person): Huntington Trace , LLC						
	Site Contact (if ODSA is company): Browder McGill						
	Mailing Address: 121 Screven Street City: Georgetown State: SC 7ip: 29442						
	Phone: (Day) <u>(843) - 240 - 8803</u> (Mobile) (Fax) <u>(843) - 235 - 4001</u>						
VI.	Signatures and Certifications						
	A. One copy of the SWPPP, all specifications and supporting calculations, forms, and reports are herewith submitted						
	and made a part of this application. I have placed my signature and seal on the design documents submitted signifying that I accept responsibility for the design of the system. Further, I certify to the best of my knowledge and						
	belief that the design is consistent with the requirements of Title 48. Chapter 14 of the Cade of Laws of SC, 1976						
	as amended, pursuant to Regulation 72-300 et seq., and in accordance with the terms arid conditions of SCR100000. (This should be person identified in Section V.A.)						
	Please check one. Engineer Tier B Land Jurveyor Landscape Architect						
	$\mathcal{M}: \cap (\mathcal{A})$						
	Michael F. Redmond, P.E. 8285 Printed name of SWPPP Preparer Signature of SWPPP Preparer S.C. Registration #						
	B. I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information.						
	submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible						
	for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete, I am aware that there are significant penalties for submitting false information, including the possibility						
	of fine and imprisonment for knowing violations.						
	I hereby certify that all land-disturbing construction and associated activity pertaining to this site shall be						
	accomplished pursuant to and in keeping with the terms and conditions of the approved plans and SCR100000. I also certify that a responsible person will be assigned to the project for day-to-day control. I hereby grant authorization to the						
	Department of Health and Environmental Control and/or the local implementing agency the right of access to						
	the site at all times for the purpose of on site inspections during the course of construction and to perform maintenance						
	inspections following the completion of the land-disturbing activity. (See Section 122,22 of S.C. Reg. 61-9 for signatory authority information.)						
	CralAA						
	Browder McGill Owner						
	Printed name of Project Owner/Operator Signature of Project Owner/Operator Title/Position						

NPDES CGP Fee Schedule B (Beaufort, Berkeley, Charleston, Colleton, Dorchester, Georgetown, Horry, and Jasper Counties)

Please print or type. Do not send payment in window envelope. DO NOT MAIL CASH. This schedule should be attached to DHEC Form 2617. The Department will notify the Project Owner/ Operator if the submitted check or credit card payment cannot be processed. The review clock will start when acceptable payment is received.


diedir cara payment carmot be processed. The review clock will start and deceptable payment is received.								
1. Is this project located within ½ mile of a receiving waterbody? ② Yes □ No If yes, proceed to item 2. If no, proceed to item 3.								
2. Will this project or LCP ultimately disturb more than 0.5 acre? a. If yes, then enter \$125 in right-hand column and proceed to item b. If no, then submission of an NOI for NPDES coverage under SCR100000 is not required.	\$ <u>125</u> . 00							
b. Review Fees If this project is owned by S.C. Department of Transportation, then review fees	\$00							
are not initially required. Proceed to item 4. If this project is exempt from S.C. Reg. 72-300 et seq., specifically 72-302, then review fees are not initially required. Proceed to item 4. Otherwise, enter review fees of \$100/ disturbed acre (see item III.A of the application) in right-hand column. The review fees cannot exceed \$200 Proceed to item 4.								
3. Will this project or LCP ultimately disturb 1 or more acres? ———————————————————————————————————	\$ <u>190</u> .00							
coverage under SCR100000 is not required. b. Will this project or LCP ultimately disturb more than 2 acres? Yes No If no, then review fees are not initially required**. Proceed to item 4. It this project is owned by S.C. Department of Transportation, then review fees are not initially required*. Proceed to item 4. If this project is exempt from S.C. Reg. 72-300 et seq., specifically 72-302, then review fees are not initially required**. Proceed to item 4. Otherwise, if yes, enter review fees of \$100/ disturbed acre (froi item III.A of the application) in right-hand column. The review fees cannot exceed \$2000.	m l							
4. Total Required Fees Add the values in the right-hand column. Maximum required fees are \$2125. The Department will not review this project until all required fees are received.	\$ <u>315</u> .00							
 If the Department will review the project, then the Department will notify the Project Owner/ Operator in writing within 10 business days of receipt of the complete NOI and request review fees. ** It the Department will review the project, then the Department will notify the Project Owner/ Operator in writing within 20 days of receipt of the complete NOI and request review fees. 								
Payment by Check: If paying by check, fill out information and attach check below. Make sure check is sign presentment date. Make sure the check is for the entire amount of required fees.	ned and is not past its							
STAPLE CHECK HERE								
Make check payable to: S.C. DHEC.								
Payment by Credit Card: It paying by credit card, fill out information. Make sure that the authorized signature is complete.								
	ate: Zip:							
Phone Number: Fax Number:								
Type of Card: Visa MasterCard Discover Credit Card Number: Authorized Signature: Expirate	tion Date:/							
to official was parky Invoice Numbers YF YA 7V	- 71 -							

Email: etseetsengineers.com

http://www.etsengineers.com

Phone: (843) 237-3002

Fax: (843) 237-2269



ENGINEERING AND TECHNICAL SERVICES, INC.

Pawleys Business Center • 58 Centermarsh Lane • P.O. Box 2040 • Pawleys Island, S.C. 29585 Phone: (843) 237-3002 . Fax: (843) 237-2269 . Email: etseetsengineers.com . http://www.etsengineers.com



C. Earl Hunter, Commissioner

Promoting and protecting the health of the public and the environment.


PUBLIC NOTICE AMENDMENT REQUEST

The permittee for P/N# OCRM-06-301-R, Whitney Popelka, has requested an amendment to that issued permit. Specifically, the applicant proposes to add a 8' x 8' pierhead, add a 11' x 12' boatlift floodside of the pierhead and reduce the floating dock from 10' x 12' to 6' x 9'. The proposed amendment is for modifications to a private recreational dock on and adjacent to Foster Creek at Lot 2 Island Walk East, through Belle Hall, Mount Pleasant, Charleston County, South Carolina.

Written comments will be received on this amendment request until June 4, 2007 at the address listed below. For further information please contact the project manager, Tess Rodgers, 843-953-0233.

May 25, 2007







PLAN LOT 2

SCALE: 1" = 200'



PROPOSED: DOCK

PURPOSE: TO CONSTRUCT A PRIVATE DOCK

DATUM: MEAN LOW WATER

ADJACENT PROPERTY OWNERS:

- 1. LOT 1 CHRIS & ROSEMARY TOUNTAS 360 EVIAN WAY MT. PLEASANT, S.C. 29464
- 2. LOT 3
 PAPOO, LLC
 TEAYS VALLEY RD.
 HURRICANE, WV 25526


Amendment 5/25/07-00-30-R BELLE HALL SUBD. MOUNT PLEASANT CHARLESTON COUNTY,


S.C.

APPLICATION BY: JOHN & WHITNEY POPELKA 532 ISLAND WALK WEST MT. PLEASANT, S.C. 29464

SHEET 2 OF 3

DATE: 8/14/2006







C. Earl Hunter, Commissioner


Promoting and protecting the health of the public and the environment.

PUBLIC NOTICE AMENDMENT REQUEST


The permittee for P/N# 2006-3614-2IM-P, Phillip Horn, Jr., has requested an amendment to that issued permit. Specifically, the applicant proposes to add a 12' x 13', four-pile boatlift to the ebbside of the pierhead. The proposed amendment is for modifications to an existing dock permit on and adjacent to Wappoo Creek at 15 Broughton Rd., Charleston, Charleston County, South Carolina.

Written comments will be received on this amendment request until June 4, 2007 at the address listed below. For further information please contact the project manager, Amanda H. Flake, 843-953-0258.

May 25, 2007



2006-3614-21M-P





C. Earl Hunter, Commissioner

Promoting and protecting the health of the public and the environment.

Notification of Public Notice

Enclosed are public notices issued by the SCDHEC Office of Ocean and Coastal Resource Management. All interested parties are allowed 30 days for major developments and 15 days for minor developments after receipt of the public notices to file written comments to the OCRM pertaining to the applications. Only those comments received within this period must be reviewed by the OCRM in processing the permit application. Any person wishing notification of the initial OCRM decision on any specific public notice must make written request within the designated review period for that public notice.

APPLICANT	PUBLIC NOTICE NUMBER	SUSPENSE DATE
Joel F. Smith	OCRM-07-133-M	June 9, 2007
Julie McLeod	OCRM-07-143-M	June 9, 2007
Irene Bueler	OCRM-07-145-M	June 9, 2007
Mike Bartley	OCRM-07-146-M	June 9, 2007
Spring Family LTD Partnership	OCRM-07-147-B	June 24, 2007
SC State Ports Authority	OCRM-07-148-B	June 24, 2007
Seabrook Island POA	OCRM-07-149-B	June 24, 2007
Mark Pernick	OCRM-07-525	June 9, 2007
Trinity Development, LLC	OCRM-07-526	June 9, 2007
Thomas D. Robson	OCRM-07-860	June 9, 2007

May 25, 2007

SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT PERMIT APPLICATION PUBLIC NOTICE

May 25, 2007

Permit Number:

OCRM-07-133-M

Permit ID:

58768

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Joel F. Smith

C/o Kennerty Surveying, Inc.

P.O. Box 26

Ravenel, SC 29470

LOCATION:

On and adjacent to Fossil Lagoon between Lots 24 & 43, Lost Village Trail, Jeremy Cay

Subdivision, Edisto Island, Colleton County, South Carolina.

TMS#: 361-09-00-006.& 361-09-00-021

WORK:

The work as proposed and shown on the attached plans consists of constructing a joint use dock. Specifically, the structure will have a 4' by 212' walkway which will lead to two 4' by 11' Y-shaped walkways, each with an an 8' by 16' fixed pierhead at its' terminus. The

purpose of the activity is for the applicant's joint recreational use.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.


To assure review by OCRM, comments regarding this application must be received by OCRM on or before June 9, 2007. For further information please contact the project manager for this activity, Fred Mallett at 843-953-0236.


PLEASE REPLY TO:

SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 1362 McMillan Avenue, Suite 400 Charleston, South Carolina 29405

Please refer to P/N# OCRM-07-133-M

Tess Rodgers Regulatory Coordinator





PIER & DOCKS HAVE NO RAIL AND NO COVER TO MINIMIZE VISUAL INTRUSION

ACTIVITY: SHARED RECREATION PIER

W/ INDIMDUAL DOCKS

IN: FOSSIL LAGOON
NEAR: EDISTO ISLAND
COUNTY OF: COLLETON


STATE OF: SOUTH CAROLINA APPLICATION BY: FRANKLIN SMITH

SHEET 1 OF 1 DATE: FEBRUARY 20, 2007





OCRM-07-133-M



SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT PERMIT APPLICATION PUBLIC NOTICE

May 25, 2007

Permit Number:

OCRM-07-143-M

Permit ID:

58863

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Julie McLeod

535 Carpenter Street Charleston, SC 29412

LOCATION:

On and adjacent to Log Bridge Creek at Lot 4, Silver Oak Lane, Hollywood, Charleston

County, South Carolina. TMS#: 247-00-00-304.

WORK:

The work as proposed and shown on the attached plans consists of constructing a dock. Specifically, the structure will have a 4' by 450' walkway with handrails leading to an 8' by 10' covered fixed pierhead. Floodside of the pierhead, a ramp will lead to an 8' by 10' floating dock. The applicant also proposes to install an 8' by 8' single-pile boatlift on the ebbside of the fixed pierhead. The purpose of the activity is for the applicant's private

recreational use. Please note: This activity was previsoulsy authorized underP/N #

2002-1E-054-P and is set to expire in July.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.


To assure review by OCRM, comments regarding this application must be received by OCRM on or before June 9, 2007. For further information please contact the project manager for this activity, Fred Mallett at 843-953-0236.

PLEASE REPLY TO:

SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 1362 McMillan Avenue, Suite 400 Charleston, South Carolina 29405

Please refer to P/N# OCRM-07-143-M

ess Rodgers, Regulatory Coordinator



County: Charleston Applicant: Julie McLeod

DORM-07-143.M

May 2007

3. E.G. Development, 4795 Sebastian Ct, N. Charleston, SC 29405

RECEIVED


SCALE 1"=20'

MAY 17 2007

DHEC-OCRM CHARLESTON OFFICE



LOG BRIDGE CREEK



PROFILE VIEW

Lot 4 Silver Dak Lane Stono Estates, Hollywood, SC

Adjacent Property Dwners

- 1. Jason Bell, 48 Sowell St., Mt. Pleasant, SC 29464
- 2. Links & Stono Ferry Golf Course, 4843 Marshwood Dr., Hollywood, SC 29449
- 3. E.G. Development, 4795 Sebastian Ct, N. Charleston, SC 29405

May 2007

SCALE 1'' = 40'


Proposed Activity Construct Dock County Charleston Applicanti Julie McLeod

OCRM-07-143-M

RECEIVED

MAY 17 2007

DHEC-OCRM CHARLESTON OFFICE



SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT PERMIT APPLICATION PUBLIC NOTICE

May 25, 2007

Permit Number:

OCRM-07-145-M

Permit ID:

58899

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Irene Bueler

C/o Waters Deep, Inc P.O. Box 12880 Charleston, SC 29412

LOCATION:

On and adjacent to Log Bridge Creek at Lot 79, Timber Race Course, Stono Ferry Subdivision, Hollywood, Charleston County, South Carolina. TMS#: 248-04-00-079.

WORK:

The work as proposed and shown on the attached plans consists of making modifications and additions to an existing dock. Specifically, the applicant proposes to remove a 4' by 240' section of walkway leading to a 6' by 12' fixed pierhead and a 6' by 8' floating dock and to replace those structures with a realigned 4' by 485' walkway which will lead to an 8' by 10' covered fixed pierhead with a sink platform. On the downstream side of the pierhead, a ramp will lead to an 8' by 10' floating dock. The applicant also proposes to install a 12.5' by 12.5.', four-pile boatlift on the upstream side of the fixed pierhead.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.


To assure review by OCRM, comments regarding this application must be received by OCRM on or before June 9, 2007. For further information please contact the project manager for this activity, Fred Mallett at 843-953-0236.


PLEASE REPLY TO:


SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 1362 McMillan Avenue, Suite 400 Charleston, South Carolina 29405


Please refer to P/N# OCRM-07-145-M

ess Rolige's, Regulatory Coordinator









SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT PERMIT APPLICATION PUBLIC NOTICE

May 25, 2007

Permit Number:

OCRM-07-=146-M

Permit ID:

58900

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Mike Bartley

C/o Waters Deep, Inc. P.O. Box 12880

Charleston, SC 29412

LOCATION:

On and adjacent to Fishing Creek at 8342 Palmetto Road, Edisto Island, Charleston County,

South Carolina. TMS#: 023-00-00-073.

WORK:

The work as proposed and shown on the attached plans consists of making additions to an existing dock. Specifically, the applicant proposes to add an additional 10' by 15' section of pierhead channelward of the existing 15' by 15' fixed structure. On the downstream side of the proposed pierhead, a 3' by 20' access ramp will lead to a 10' by 30' floating dock. The

purpose of the activity is for the applicant's private recreational use.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.

To assure review by OCRM, comments regarding this application must be received by OCRM on or before June 9, 2007. For further information please contact the project manager for this activity, Fred Mallett at 843-953-0236.

PLEASE REPLY TO:


SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT

1362 McMillan Avenue, Suite 400

Charleston, South Carolina 29405

Please refer to P/N# OCRM-07-146-M

Tess Rodgers, Regulatory Coordinator




1. MARK S. KINSEY

2. BROOK BEN CREEKSIDE LLC

SCALE 1" = 100'

MR. MIKE BARTLEY 8340 PALMETTO ROAD EDISTO ISLAND, SC 29438

IN : EDISTO ISLAND COUNTY OF: CHARLESTON, SC APPLICATION BY: MIKE BARTLEY P/N #/: TBD DATE: 5-09-07



FISHING CREEK

DOCK CROSS SECTION



PROPOSED: PRIVATE DOCK **MODIFICATION**

ADJACENT OWNERS: 1. MARK S. KINSEY

2. BROOK BEN CREEKSIDE LLC

FIGURE 2

DOCK CROSS SECTION SIDE VIEW LOT 1 SCALE 1" = 10'


DCRM-07-146-M

MR. MIKE BARTLEY 8340 PALMETTO ROAD EDISTO ISLAND, SC 29438


PROPOSED.

WATERWAY: FISHING CREEK

IN: EDISTO ISLAND COUNTY OF: CHARLESTON, SC APPLICATION BY:MIKE BARTLEY P/N #/: TBD DATE: 5-09-07



2. BROOK BEN CREEKSIDE LLC



MODIFICATION

ADJACENT PROPERTY OWNERS

- 1. MARK S. KINSLEY
- 2. BROOK BEN CREEKSIDE, LLC

DOCK LOCATION MAP

NOT TO SCALE

MR. MIKE BARTLEY 8340 PALMETTO ROAD EDISTO ISLAND, SC 29438

Waterway: Fishing Creek

Located on: Edisto Island County of: Charleston, SC Application by: Mike Bartley P/N #/: TBD Date: 5-07-07

OCRM -07-146-M

May 25, 2007

Permit Number:

OCRM-07-147-B

Permit ID:

56800

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Spring Family LTD Partnership

C/o The Earthworks Group

11661 Highway 707

Murrells Inlet, SC 29576

LOCATION:

On and adjacent to Main Creek at lots 6, 7, and 8 in Inlet Harbor on Sailfish Drive, Garden

City, Horry County, South Carolina

TMS #'s 41-0131-083-00-00, 41-0131-084-00-00, and 41-0131-085-00-00

WORK:

The work as proposed and shown on the attached drawings consists of constructing a 16' X 69' boat ramp with bulkhead structures on each side for support and placing 79 cubic yards of riprap on top of existing riprap along a 270' long eroding bank. The purpose of the proposed work is

for private recreational use and erosion control.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.


To assure review by OCRM, comments regarding this application must be received by OCRM on or before June 24, 2007. For further information please contact the project manager for this activity, Steve Brooks at 843-953-0235.


PLEASE REPLY TO:

SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 1362 McMillan Avenue, Suite 400 Charleston, South Carolina 29405


Please refer to P/N# OCRM-07-147-B


ass Rodges Regulatory Coordinator













NOT FOR CONSTRUCTION

NOTES:

-BULKHEAD WILL SUPPORT THE SIDES OF TH PROPOSED BOAT RAMP

GEORGEIOWN CO., SOUTH CAXULINA	Project Location: SAILFISH DRIVE, GARDEN CITY GEÖRGETOWN CO., SOUTH CAROLINA			Project Title: SPRINGS BOAT RAMP JOINT PERMIT APPLICATION		Applicant: SPRINGS FAMILY LTD PARTNERSHIP	
						Date Initials	Revisions
Application # ock,M. 07- 147-B				Date: 11-14-06		Is Sheet Title: PROPOSED PLAN PROFILE VIEW	
	Sheet 4 of 5			Scale: 1" = 10'			PI AN PROFILE VIEW





May 25, 2007

Permit Number:

OCRM-07-148-B

Permit ID:

56953

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

South Carolina State Ports Authority

C/o Timothy A. Sherman

P.O. Box 22287

Charleston, South Carolina 29413

LOCATION:

On and adjacent to the Sampit River at the Georgetown Terminal, State Pier 31, Dock Road,

Georgetown, Georgetown County, South Carolina Latitude: 32 46' 53" N / Longitude: 79 55' 25" W

WORK:

The work as proposed and shown on the attached plans consists of performing maintenance dredging between the existing State Pier 31 and the adjacent Federal Navigational Channel. The proposed dredge depth will be -29 feet Mean Low Water (MLW) with an overdredge allowance of 1 foot for a total of -30' feet MLW. The method of dredging will be by hydraulically dredging the material and disposing it into the Waccamaw Neck Confined Disposal Facility (CDF) and the Sampit River CDF by pipeline. The areas proposed for maintenance dredging are approximately 70 feet by 500 feet (approximately 35000 square feet) and 40 feet by 1,350 feet (approximately 54,000 square feet) for a total of 89,000 square feet. The anticipated dredge volume will be approximately 30,000 cubic yards. The purpose of the proposed maintenance dredging operations is to establish and maintain safe operating depths for deep-draft vessels utilizing the berth at State Pier 31 on the Georgetown Terminal Facility. Please note: This proposed project has been authorized under a U.S Army Corps of Engineers permit 95-1T-206-P.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.


To assure review by OCRM, comments regarding this application must be received by OCRM on or before June 24, 2007. For further information please contact the project manager for this activity, Steve Brooks at 843-953-0235. PLEASE REPLY TO:

SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT

1362 McMillan Avenue, Suite 400 Charleston, South Carolina 29405

Please refer to P/N# OCRM-07-148-B

ess Rodgers Regulatory Coordinator



DATUM: MLW-0.0 ADJACENT PROPERTY OWNERS: INTERNATIONAL PAPER

ISG STEEL OCRM-07-148-B South Carolina State PORTS AUTHORITY 176 CONCORD STREET


P.O. BOX 22287 CHARLESTON, S.C. 29413-2287 IN: SAMPIT RIVER

AT: GEORGETOWN TERMINAL

GEORGETOWN COUNTY, SOUTH CAROLINA

APPLICATION BY: SC STATE PORTS AUTHORITY

DATE: SHEET: 20F3



SECTION



PROJECT NO.: MSC06E018
FILE NAME: Gibmd3

PURPOSE: MARINE TERMINAL

DATUM: MLW -0.0

ADJACENT PROPERTY OWNERS:

INTERNATIONAL PAPER

ISG STEEL

ockn. 07-148-B

SECTION

South Carolina State PORTS AUTHORITY

CHARLESTON, S.C. 29413-2287

176 CONCORD STREET P.O. BOX 22287 PROPOSED: BERTH MAINTENACE DREDGING


IN: SAMPIT RIVER

AT: GEORGETOWN TERMINAL

GEORGETOWN COUNTY, SOUTH CAROLINA

APPLICATION BY: SC STATE PORTS AUTHORITY

SHEET: 3 OF 3 DATE:



RECEIVED

FEB 16 2007

DHEC-OCRM CHARLESTON OFFICE



PROJECT NO.: MSC06E018
FILE NAME: Gtbmd1

PURPOSE: MARINE TERMINAL

DATUM: MLW-0.0

ADJACENT PROPERTY OWNERS:

INTERNATIONAL PAPER

ISG STEEL

OCRM-07-148-B

SECTION

South Carolina State PORTS AUTHORITY

176 CONCORD STREET

P.O. BOX 22287

CHARLESTON, S.C. 29413-2287

PROPOSED: BERTH MAINTENACE DREDGING

IN: SAMPIT RIVER

AT: GEORGETOWN TERMINAL

GEORGETOWN COUNTY, SOUTH CAROLINA

APPLICATION BY: SC STATE PORTS AUTHORITY

SHEET: 1 OF 3 DATE:

May 25, 2007

Permit Number:

OCRM-07-149-B

Permit ID:

58269

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Seabrook Island POA

C/o G. Robert George and Associates, Inc.

2411 Savannah Hwy

Charleston, South Carolina 29414

LOCATION:

On and adjacent to Privateer and Bohicket Creeks on Privateer Creek Road and Long Bend Drive,

Seabrook Island, Charleston County, South Carolina

TMS #: 147-00-00-029 and 147-00-00-003

WORK:

The work as proposed and shown on the attached plans consists of the following: At the Privateer Creek location, place approximately 1000 square feet of riprap on top of existing deteriorating riprap and in the surrounding area. In addition, the areas underneath an existing 42" corrugated metal pipe and a 48" corrugated metal pipe (both with existing tide gates), will be excavated and backfilled with riprap. At the Long Bend Drive location, replace the existing 36" Arch corrugated metal pipe with a new 36" aluminum corrugated pipe and install a new tide gate supported by 8" diameter timber piles. Approximately 1009 square feet of riprap will be added to the surrounding area of this outfall structure. In addition, the area underneath an existing pool area that is situated directly at the outfall structure will be excavated and backfilled with riprap. The purpose of the proposed work is to improve and maintain existing drainage ditches and the culvert system to better manage drainage on Seabrook Island.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.

To assure review by OCRM, comments regarding this application must be received by OCRM on or before June 24, 2007. For further information please contact the project manager for this activity, Steve Brooks at 843-953-0235.


PLEASE REPLY TO:


SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT

1362 McMillan Avenue, Suite 400 Charleston, South Carolina 29405


Please refer to P/N# OCRM-07-149-B


ess Rodgers, Regulatory Coordinator








X-2











































SLEAVE FIT OVER CMP

GATE.

 $\binom{0-3}{2}$ TIDAL FLAP (

TMS NO: 147-00-00-029

1929 NGVD ADJACENT PROPERTY OWNERS: DRAWING NOT TO SCALE LOCATION: ALONG LONG BEND DRIVE SEABROOK ISLAND, S.C.

1. MARSHLAND TRUST, INC.

CLUB AT SEABROOK ISLAND, INC. CN PROPERTIES, LLC.

OF BUILDING 1 AT THE

OWNERS

MARCH 7, 2007 DATE:

CHARLESTON

COUNTY:

APPLICANT: SEABROOK ISLAND PROPERTY OWNERS ASSOCIATION ACTIVITY: MAINTENANCE AND REPAIR OF QUIFALL STRUCTURES

P/N# OCRM-07-149-B

ATE OF AUTHOR

6517

May 25, 2007

Permit Number:

OCRM-07-525

Permit ID:

58829

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Mark Pernick

c/o The Brigman Company Attn: Britt A. Feldner

PO Box 1532 Conway, SC 29528

LOCATION:

On and adjacent to Long Bay Creek at 1460 Basin Terrace, Garden City Beach.

Georgetown County, South Carolina.

TMS#: 41-128-28.00.

WORK:

The work, as described and shown on the attached plans, consists of constructing a replacement bulkhead. Specifically, the applicant seeks to replace a wooden bulkhead with a 6' x 148' vinyl bulkhead to be built 18" channelward of the existing one. The purpose of

the proposed activity is for erosion control.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.


To assure review by OCRM, comments regarding this application must be received by OCRM on or before June 9, 2007. For further information please contact the project manager for this activity, Tanitra S. Marshall at 843-238-4526.


PLEASE REPLY TO:


SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 927 Shine Avenue
Myrtle Beach, South Carolina 29577

Please refer to P/N# OCRM-07-525

Tanitra S. Marshall, Project Manager









SECTION VIEW

Side View



Front View





May 25, 2007

Permit Number:

OCRM-07-526

Permit ID:

57915

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Trinity Development LLC

Attn: David H. Godby 826 Inlet Square Dr Ste B Murrells Inlet, SC 29576

LOCATION:

On and adjacent to Carson Creek at 3613 Jordan Landing, Murrells Inlet, Georgetown

County, South Carolina. TMS#: 41-0150-112-00-00.

WORK:

The work, as described and shown on the attached plans, consists of constructing a dock. Specifically the applicant seeks to build a 4' x 8' walkway leading to a 12' x 12' covered fixed pierhead. The purpose of the proposed activity is for the applicant's private recreational use. Please note - This permit is a candidate for the Army Corps of

Engineers General Permit 2006-10-001.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.

To assure review by OCRM, comments regarding this application must be received by OCRM on or before June 9, 2007. For further information please contact the project manager for this activity, Tanitra S. Marshall at 843-238-4528.


PLEASE REPLY TO:


SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 927 Shine Avenue
Myrtle Beach, South Carolina 29577


Please refer to P/N# OCRM-07-526

Tanitra S. Marshall, Project Manager

Marsha 20







SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT PERMIT APPLICATION PUBLIC NOTICE

May 25, 2007

Permit Number:

OCRM-07-860

Permit ID:

58936

The SCDHEC Office of Ocean and Coastal Resource Management has received an application for a permit for the alteration of a critical area. This application was submitted pursuant to the Coastal Zone Management Act (Act 123) of the 1977 South Carolina General Assembly. The application, in brief, is described as follows:

APPLICANT:

Thomas D Robson

C/o O'Quinn Marine Construction Inc

95 Sheppard Road Lady's Island, SC 29907

LOCATION:

On and adjacent to the Beaufort River at 201 New Street, Beaufort, Beaufort County, South

Carolina.

TMS#: R120-004-000-0962-0000.

WORK:

The work proposed consists of constructing a private dock. The proposed structure will have a 4'x76' walkway with handrails leading to a 10'x10' fixed pierhead. To the left of the pierhead will be a 12'x13' 4 pile boatlift. The purpose for the dock is for the owner's private

recreational use.

This public notice is being distributed to all known interested persons and agencies to assist in developing facts on which a decision by OCRM can be based. Comments concerning the proposed work should be submitted in writing, setting forth sufficient detail to furnish a clear understanding of the reasons for support or opposition.

The decision to issue or deny a permit will be based on the individual merits of the application, the policies specified in the South Carolina Coastal Zone Management Act, and the considerations outlined in the State of South Carolina Coastal Zone Management Program. Interested parties who wish to be notified of final permit action must notify OCRM in writing of this request.

To assure review by OCRM, comments regarding this application must be received by OCRM on or before June 9, 2007.


PLEASE REPLY TO:


SCDHEC OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 104 Parker Drive Beaufort, South Carolina 29906

Please refer to P/N# OCRM-07-860

G. J. Madlinger, III, Project Manager

DOCK PERMIT SKETCH PREPARED FOR THOMAS & ROSE ROBSON





PIN: R120-004-000-0962-0000

100'

200'

300'

SCALE 1'' = 100'

MAY 3, 2007 P3589DS/JJ

BCAM-07-860

APPLICANT:

THOMAS & ROSE ROBSON

ACTIVITY

PRIVATE DOCK

LOCATION: CITY OF BEAUFORT

COUNTY: BEAUFORT

DATE 05/03/07

1613 PARIS AVENUE PORT ROYAL, S.C. 29935 PHONE (843) 524-3261

RLS 9765


BEAUFORT SUBVEYING, INC.

ADJACENT PROPERTY OWNERS STEPHEN & EMILY GREENBERGER

MARY W. PATREND

2005 COPYRIGHT BY: ACCURATE MAPS & ATLAS, INC.

Central BEAUFORT COUNTY, SC MAP #1



Follow us als to Beaufort At indersection of Baystreet and Cartaret Street, turn left onto Bay street, youll turn left into New street. Site is in right side of New street.

APPLICANT: Thomas Robson LOCATION: 201 Newstreef

ADJACENT PROPERTY OWNERS:

1. Skeen Green burger

DOCK

P/N # coem-07-860

DATE: 5/10/07



C. Earl Hunter, Commissioner

Promoting and protecting the health of the public and the environment.

TO ALL INTERESTED PARTIES

Notification of Public Notice

Enclosed are public notices issued by the SCDHEC Office of Ocean and Coastal Resource Management and the U.S. Army Corps of Engineers. All interested parties are allowed 30 days for major developments and 15 days for minor developments after receipt of the public notices to file written comments to the OCRM pertaining to the applications. Only those comments received within this period must be reviewed by the OCRM in processing the permit application. Any person wishing notification of the initial OCRM decision on any specific public notice must make written request within the designated review period for that public notice.

APPLICANT P	UBLIC NOTICE NUMBER	SUSPENSE DATE
Stono River	2007-970-1IW-P 2007-01123-2IY-P 2007-1114-2IV-P	June 24, 2007 June 24, 2007 June 24, 2007

MAY 25, 2007

JOINT PUBLIC NOTICE

CHARLESTON DISTRICT, CORPS OF ENGINEERS 69A Hagood Avenue Charleston, South Carolina 29403-5107 and the

S.C. DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT 1362 McMillan Avenue, Suite 400 Charleston, South Carolina 29405

REGULATORY DIVISION Refer to: P/N #SAC-2007-970-1IW ->

11 MAY 2007

Pursuant to Section 10 of the Rivers and Harbors 99 (33 U.S.C. 403), Sections 401 and 404 of the Clean Water Act (33 U.S.C. 1344), a South Carolina Coastal Zone Management Act (48-39-10 et.seq.) an application has been subject to the Department of the Army and the S.C. Department of Health and Environmental Control by

GULF STREAM DEVELOPMENT GROUP, INC. c/o NEWKIRK ENVIRONMENTAL. INC. **POST OFFICE BOX 309 BLUFFTON, SOUTH CAROLINA 29910**

for a permit to construct a pier in waters of the

ATLANTIC OCEAN

at a location at and beyond the existing Edisto Fishing Pier located adjacent to the intersection of Highway 174 and Palmetto Boulevard on Edisto Island, Charleston County, South Carolina (Latitide 32.502661°, Longitude 80.296128°)

In order to give all interested parties an opportunity to express their views

NOTICE

is hereby given that written statements regarding the proposed work will be received by both of the above mentioned offices until

12 O'CLOCK NOON, MONDAY, 11 JUNE 2007

from those interested in the activity and whose interests may be affected by the proposed work.

The proposed work consists of removing the remains of the existing pier and constructing a new pier that will consist of a 22' wide by 684' walkway that will lead to an 85' x 85' diamond shaped pierhead. On this pierhead, the applicant proposes to construct a 36' x 36' covered observation deck. The proposed structure will be lighted and also include navigational lighting as required by the U.S. Coast Guard. The purpose of the project is for public recreational use.

NOTE: Plans depicting the work described in this notice are available and will be provided, upon receipt of a written request, to anyone that is interested in obtaining a copy of the plans for the specific project. The request must identify the project of interest by public notice number and a self-addressed stamped envelope must also be provided for mailing the drawings to you. Your request for drawings should be addressed to the

U.S. Army Corps of Engineers
ATTN: REGULATORY DIVISION
69A Hagood Avenue
Charleston, South Carolina 29403-5107.

The District Engineer has concluded that the discharges associated with this project, both direct and indirect, should be reviewed by the South Carolina Department of Health and Environmental Control in accordance with provisions of Section 401 of the Clean Water Act. As such, this notice constitutes a request, on behalf of the applicant, for certification that this project will comply with applicable effluent limitations and water quality standards. The work shown on this application must also be certified as consistent with applicable provisions the Coastal Zone Management Program (15 CFR 930). The District Engineer will not process this application to a conclusion until such certifications are received. The applicant is hereby advised that supplemental information may be required by the State to facilitate the review.

This notice initiates the Essential Fish Habitat (EFH) consultation requirements of the Magnuson-Stevens Fishery Conservation and Management Act. Implementation of the proposed project would impact estuarine substrates and emergent wetlands utilized by various life stages of species comprising the red drum, shrimp, and snapper-grouper management complexes. Our initial determination is that the proposed action would not have a substantial individual or cumulative adverse impact on EFH or fisheries managed by the South Atlantic Fishery Management Council and the National Marine Fisheries Service (NMFS). Our final determination relative to project impacts and the need for mitigation measures is subject to review by and coordination with the NMFS.

Pursuant to Section 7(c) of the Endangered Species Act of 1973 (as amended), the District Engineer has consulted the most recently available information and has determined that the project is not likely to adversely affect any Federally endangered, threatened, or proposed species or result in the destruction or adverse modification of designated or proposed critical habitat. This public notice serves as a request for written concurrence from the U.S. Fish and Wildlife Service and/or the National Marine Fisheries Service on this determination.

Pursuant to Section 106 of the National Historic Preservation Act (NHPA), this public notice also constitutes a request to Indian Tribes to notify the District Engineer of any historic properties of religious and cultural significance to them that may be affected by the proposed undertaking.

In accordance with the NHPA, the District Engineer has also consulted the latest published version of the National Register of Historic Places for the presence or absence of registered properties, or properties listed as being eligible for inclusion therein, and this worksite

is not included as a registered property or property listed as being eligible for inclusion in the Register. To insure that other cultural resources that the District Engineer is not aware of are not overlooked, this public notice also serves as a request to the State Historic Preservation Office to provide any information it may have with regard to historic and cultural resources.


Any person may request, in writing, within the comment period specified in this notice, that a public hearing be held to consider this application. Requests for a public hearing shall state, with particularity, the reasons for holding a public hearing.

The decision whether to issue a permit will be based on an evaluation of the probable impact including cumulative impacts of the activity on the public interest. That decision will reflect the national concern for both protection and utilization of important resources. The benefit which reasonably may be expected to accrue from the project must be balanced against its reasonably foreseeable detriments. All factors which may be relevant to the project will be considered including the cumulative effects thereof; among those are conservation, economics, aesthetics, general environmental concerns, wetlands, historic properties, fish and wildlife values, flood hazards, flood plain values, land use, navigation, shoreline erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food and fiber production and, in general, the needs and welfare of the people. A permit will be granted unless the District Engineer determines that it would be contrary to the public interest. In cases of conflicting property rights, the Corps of Engineers cannot undertake to adjudicate rival claims.

The Corps of Engineers is soliciting comments from the public; Federal, state, and local agencies and officials; Indian Tribes; and other interested parties in order to consider and evaluate the impacts of this activity. Any comments received will be considered by the Corps of Engineers to determine whether to issue, modify, condition or deny a permit for this project. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects, and the other public interest factors listed above. Comments are used in the preparation of an Environmental Assessment and/or an Environmental Impact Statement pursuant to the National Environmental Policy Act. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the activity.

If there are any questions concerning this public notice, please contact Debbie King at 843-329-8044 or toll free at 1-866-329-8187.

Bill Biser
Project Manager
SCDHEC-OCRM



PROJECT LOCATION:

LATITUDE: 32° 30' 11" N LONGITUDE:

80° 17' 48" W

LOCATION MAP

SAC 2007-970-1IW-P

DATUM:

MEAN SEA LEVEL (NAVD 88)

ADJACENT PROPERTY OWNERS:

1. STATE OF SOUTH CAROLINA

PROPOSED:

RECREATIONAL PIER

IN: ATLANTIC OCEAN

AT: EDISTO BEACH, SOUTH CAROLINA

CHARLESTON COUNTY, SOUTH CAROLINA

APPLICATION BY:

GULF STREAM DEVELOPMENT GROUP, INC.

1501 WONDER DRIVE, CHAPIN, SC 29036

DRAWN BY:


JVN

FILE NAME:

EDISTO PIER PERMIT

SHEET: 1 OF 7

DATE: MARCH 15, 2007



PROJECT LOCATION:

LATITUDE: LONGITUDE: 32° 30' 11" N 80° 17' 48" W

2007- 970-1/W-P

DATUM: MEAN SEA LEVEL (NAVD 88)

ADJACENT PROPERTY OWNERS:

1. STATE OF SOUTH CAROLINA

PROPOSED:

RECREATIONAL PIER

IN: ATLANTIC OCEAN

AT: EDISTO BEACH, SOUTH CAROLINA

BERKELEY COUNTY, SOUTH CAROLINA

APPLICATION BY:

GULF STREAM DEVELOPMENT GROUP, INC.

1501 WONDER DRIVE, CHAPIN, SC 29036

DRAWN BY:


JVN


FILE NAME:


EDISTO PIER PERMIT

SHEET:

2 OF \$7 DATE: MARCH 15, 2007







LATITUDE: LONGITUDE:

32° 30' 11" N 80° 17' 48" W SCALE:

1" = 30'

FOR ADDITIONAL PROPERTY INFORMATION

P/N # 2007 - 970-1/W

DATUM:

MEAN SEA LEVEL (NAVD 88)

ADJACENT PROPERTY OWNERS:

1. STATE OF SOUTH CAROLINA

PROPOSED:

RECREATIONAL PIER

IN: ATLANTIC OCEAN

AT: EDISTO BEACH, SOUTH CAROLINA

BERKELEY COUNTY, SOUTH CAROLINA

APPLICATION BY:

GULF STREAM DEVELOPMENT GROUP, INC.


1501 WONDER DRIVE, CHAPIN, SC 29036

DRAWN BY:

JVN FILE NAME: **EDISTO PIER PERMIT**

SHEET: 5 OF 7

DATE: MARCH 15, 2007



DATUM: MEAN SEA LEVEL (NAVD 88)

PROPOSED:

RECREATIONAL PIER

ATLANTIC OCEAN

EDISTO BEACH, SOUTH CAROLINA
BERKELEY COUNTY, SOUTH CAROLINA

ADJACENT PROPERTY OWNERS:

1. STATE OF SOUTH CAROLINA



SHEET:

O

JVN OF 7

FILE NAME:
DATE: MA


MARCH 15, 2007

EDISTO PIER PERMIT

DRAWN BY:

APPLICATION BY:

GULF STREAM DEVELOPMENT GROUP, INC. 1501 WONDER DRIVE, CHAPIN, SC 29036



JOINT PUBLIC NOTICE

CHARLESTON DISTRICT, CORPS OF ENGINEERS 69A Hagood Avenue

Charleston, South Carolina 29403-5107 and the

S.C. DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT

> 1362 McMillan Avenue, Suite 400 Charleston, South Carolina 29405

REGULATORY DIVISION Refer to: P/N #2007-01123-2IY

May 25, 2007

401 of the Clean Water Act (33 U.S.C. 1344), and the South Control Act (48-39-10 et seg) an application between oastal Zone Management ACTIVITY Act (48-39-10 et.seq.) an application has been submitted to the Depart S.C. Department of Health and Environmental Control by

STONO RIVER LLC 15 POULNOT LANE **CHARLESTON, SOUTH CAROLINA 29401**

for a permit to construct a community dock on the

STONO RIVER

at Grimball Farms subdivision between Lots 5 and Lot 6 in the Town of James Island, Charleston County, South Carolina (Latitude 32.41.59 N, Longitude 79.58.58 W).

In order to give all interested parties an opportunity to express their views

NOTICE

is hereby given that written statements regarding the proposed work will be received by both of the above mentioned offices until

12 O'CLOCK NOON, MONDAY, JUNE 25, 2007

from those interested in the activity and whose interests may be affected by the proposed work.

The proposed work consists of the construction of a 150' x 6' walkway with hand rails leading to a 20' x 20' covered pier head. A 5' x 25' gangway will lead to a 10' x 100' finger floating dock with six 5' x 50' finger docks. The purpose of the project is for private community recreational use.

NOTE: Plans depicting the work described in this notice are available and will be provided, upon receipt of a written request, to anyone that is interested in obtaining a copy of the plans for the specific project. The request must identify the project of interest by public notice number and a self-addressed stamped envelope must also be provided for mailing the drawings to you. Your request for drawings should be addressed to the

U.S. Army Corps of Engineers
ATTN: REGULATORY DIVISION
69A Hagood Avenue
Charleston, South Carolina 29403-5107

The District Engineer has concluded that the discharges associated with this project, both direct and indirect, should be reviewed by the South Carolina Department of Health and Environmental Control in accordance with provisions of Section 401 of the Clean Water Act. As such, this notice constitutes a request, on behalf of the applicant, for certification that this project will comply with applicable effluent limitations and water quality standards. The work shown on this application must also be certified as consistent with applicable provisions the Coastal Zone Management Program (15 CFR 930). The District Engineer will not process this application to a conclusion until such certifications are received. The applicant is hereby advised that supplemental information may be required by the State to facilitate the review.

This notice initiates the Essential Fish Habitat (EFH) consultation requirements of the Magnuson-Stevens Fishery Conservation and Management Act. Implementation of the proposed project would impact estuarine substrates and emergent wetlands utilized by various life stages of species comprising the red drum, shrimp, and snapper-grouper management complexes. Our initial determination is that the proposed action would not have a substantial individual or cumulative adverse impact on EFH or fisheries managed by the South Atlantic Fishery Management Council and the National Marine Fisheries Service (NMFS). Our final determination relative to project impacts and the need for mitigation measures is subject to review by and coordination with the NMFS.

Pursuant to Section 106 of the National Historic Preservation Act (NHPA), this public notice also constitutes a request to Indian Tribes to notify the District Engineer of any historic properties of religious and cultural significance to them that may be affected by the proposed undertaking.

In accordance with the NHPA, the District Engineer has also consulted the latest published version of the National Register of Historic Places for the presence or absence of registered properties, or properties listed as being eligible for inclusion therein, and this worksite is not included as a registered property or property listed as being eligible for inclusion in the Register. To insure that other cultural resources that the District Engineer is not aware of are not overlooked, this public notice also serves as a request to the State Historic Preservation Office to provide any information it may have with regard to historic and cultural resources.

Any person may request, in writing, within the comment period specified in this notice, that a public hearing be held to consider this application. Requests for a public hearing shall state, with particularity, the reasons for holding a public hearing.

The decision whether to issue a permit will be based on an evaluation of the probable impact including cumulative impacts of the activity on the public interest. That decision will reflect the national concern for both protection and utilization of important resources. The benefit which reasonably may be expected to accrue from the project must be balanced against its reasonably


REGULATORY DIVISION Refer to: P/N #2007-01123-2IY

foreseeable detriments. All factors which may be relevant to the project will be considered including the cumulative effects thereof; among those are conservation, economics, aesthetics, general environmental concerns, wetlands, historic properties, fish and wildlife values, flood hazards, flood plain values, land use, navigation, shoreline erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food and fiber production and, in general, the needs and welfare of the people. A permit will be granted unless the District Engineer determines that it would be contrary to the public interest. In cases of conflicting property rights, the Corps of Engineers cannot undertake to adjudicate rival claims.


The Corps of Engineers is soliciting comments from the public; Federal, state, and local agencies and officials; Indian Tribes; and other interested parties in order to consider and evaluate the impacts of this activity. Any comments received will be considered by the Corps of Engineers to determine whether to issue, modify, condition or deny a permit for this project. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects, and the other public interest factors listed above. Comments are used in the preparation of an Environmental Assessment and/or an Environmental Impact Statement pursuant to the National Environmental Policy Act. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the activity.

If there are any questions concerning this public notice, please contact David Chamberlain at 843-329-8044 or toll free at 1-866-329-8187.


Amanda Flake Project Manager SCDHEC-OCRM




54c 2007-01123-2IY Sheet 1 of 4



Sheet 2 of 4







PROPOSED: PRIVATE DOCK CONSTRUCTION

ADJACENT OWNERS: 1. JERRY MEEHAN

2. RICHARD DAVIS

FIGURE 2


DOCK CROSS SECTION FRONT VIEW LOT 6 SCALE 1" = 10"

STONO RIVER LLC LOT 6, BENTGRASS LANE JAMES ISLAND, SC 29412 PROPOSED: PRIVATE DOCK CONSTRUCTION WATERWAY: STONO RIVER

IN: THE TOWN OF JAMES ISLAND COUNTY OF: CHARLESTON, SC APPLICATION BY: STONO RIVER LLC P/N \$/: TBD 9-6-08

SAC 2007-01123-2 IY

Sheet 3 of 4



PROPOSED: COMMUNITY DOCK CONSTRUCTION

ADJACENT OWNERS: 1. JERRY MEEHAN

2. RICHARD DAVIS

FIGURE 3

DOCK CROSS SECTION SIDE VIEW LOT 6 SCALE 1" = 20"

STONO RIVER LLC LOT 6, BENTGRASS LANE JAMES ISLAND, SC 29412 PROPOSED: PRIVATE DOCK CONSTRUCTION WATERWAY: STONO RIVER

IN: THE TOWN OF JAMES ISLAND COUNTY OF: CHARLESTON, SC APPLICATION BY: STONO RIVER LLC P/N #/: TBD 1-31-07

JOINT PUBLIC NOTICE

CHARLESTON DISTRICT, CORPS OF ENGINEERS 69A Hagood Avenue Charleston, South Carolina 29403-5107

S.C. DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL OFFICE OF OCEAN AND COASTAL RESOURCE MANAGEMENT

and the

1362 McMillan Avenue, Suite 400 Charleston, South Carolina 29405

REGULATORY DIVISION

Refer to: P/N # SAC 2007-1114-2IV

Pursuant to Section 10 of the Rivers and Harbors Act of the Clean Water Act (33 U.S.C. 1344), and the South Catch Coastal Coastal Act (48-39-10 et.seq.) an application has been submitted to the Department of Pealth and Environmental Control by

P.O. BOX 32158 CHARLESTON, SOUTH CAROLINA 29417

for a permit to construct a pier and floating dock in

CINDER CREEK

at a location at TMS # 265-02-00-086, adjacent to Blue Heron Pond Road, approximately 0.2 miles east of the intersection of Governor's Drive and Blue Heron Pond Road, Charleston County, South Carolina (Latitude: 32.624855; Longitude: 80.039906)

In order to give all interested parties an opportunity to express their views

NOTICE

is hereby given that written statements regarding the proposed work will be received by both of the above mentioned offices until

12 O'CLOCK NOON, MONDAY, JUNE 25, 2007

from those interested in the activity and whose interests may be affected by the proposed work.

The proposed work consists of the removal of two floating docks from an existing pier head structure that is located on an adjacent parcel (TMS # 265-02-00-020), also owned by the applicant. The fixed pier on the adjacent parcel will remain. Also included in the project is the construction of a 9' x 28.5' walkway leading from high ground to a trapezoidal shaped pier head with the following dimensions; 20' x 16' x 15' x 16'. Attached to the pier head will be two (2) 8' x 50' floating docks, one on either side of the pier head. Each floating dock will be attached to the pier head by a 5' x 25' gangway. The purpose of the new dock is better serve the needs of the KICA Kavak Facility, by moving to a more central location. The dock is for the community use of the residents of the Kiawah Island Community.

REGULATORY DIVISION
Refer to: P/N # SAC 2007-1114-2IV

May 25, 2007

NOTE: Plans depicting the work described in this notice are available and will be provided, upon receipt of a written request, to anyone that is interested in obtaining a copy of the plans for the specific project. The request must identify the project of interest by public notice number and a self-addressed stamped envelope must also be provided for mailing the drawings to you. Your request for drawings should be addressed to the

U.S. Army Corps of Engineers ATTN: REGULATORY DIVISION 69A Hagood Avenue Charleston, South Carolina 29403-5107

The work shown on this application must also be certified as consistent with applicable provisions of the Coastal Zone Management Program (15 CFR 930). The District Engineer will not process this application to a conclusion until such certification is received. The applicant is hereby advised that supplemental information may be required by the State to facilitate the review. Persons wishing to comment or object to State certification must submit all comments in writing to the South Carolina Department of Health and Environmental Control at the above address within thirty (30) days of the date of this notice.

This initiates the Essential Fish Habitat (EFH) consultation requirements of the Magnuson-Stevens Fishery Conservation and Management Act. Implementation of the proposed project would impact 0.0363 acres of estuarine substrates and emergent wetlands utilized by various life stages of species comprising the red drum, shrimp, and snapper-grouper management complexes. Our initial determination is that the proposed action would not have a substantial individual or cumulative adverse impact on EFH or fisheries managed by the South Atlantic Fishery Management Council and the National Marine Fisheries Service (NMFS). Our final determination relative to project impacts and the need for mitigation measures is subject to review by and coordination with the NMFS.

The District Engineer has consulted the most recently available information and has determined that the project will have no effect on any Federally endangered, threatened, or proposed species and will not result in the destruction or adverse modification of designated or proposed critical habitat. This public notice serves as a request to the U.S. Fish and Wildlife Service and the National Marine Fisheries Service for any additional information they may have on whether any listed or proposed endangered or threatened species or designated or proposed critical habitat may be present in the area which would be affected by the activity, pursuant to Section 7(c) of the Endangered Species Act of 1973 (as amended).

Pursuant to Section 106 of the National Historic Preservation Act (NHPA), this public notice also constitutes a request to Indian Tribes to notify the District Engineer of any historic properties of religious and cultural significance to them that may be affected by the proposed undertaking.

In accordance with the NHPA, the District Engineer has also consulted the latest published version of the National Register of Historic Places for the presence or absence of registered properties, or properties listed as being eligible for inclusion therein, and this worksite is not included as a registered property or property listed as being eligible for inclusion in the Register. To insure that other cultural resources that the District Engineer is not aware of are not overlooked, this public notice also serves as a request to the State Historic Preservation Office to provide any information it may have with regard to historic and cultural resources.

Any person may request, in writing, within the comment period specified in this notice, that a public hearing be held to consider this application. Requests for a public hearing shall state,

with particularity, the reasons for holding a public hearing.

The decision whether to issue a permit will be based on an evaluation of the probable impact including cumulative impacts of the activity on the public interest. That decision will reflect the national concern for both protection and utilization of important resources. The benefit which reasonably may be expected to accrue from the project must be balanced against its reasonably foreseeable detriments. All factors which may be relevant to


The project will be considered including the cumulative effects thereof; among those are conservation, economics, aesthetics, general environmental concerns, wetlands, historic properties, fish and wildlife values, flood hazards, flood plain values, land use, navigation, shoreline erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food and fiber production and, in general, the needs and welfare of the people. A permit will be granted unless the District Engineer determines that it would be contrary to the public interest. In cases of conflicting property rights, the Corps of Engineers cannot undertake to adjudicate rival claims.

The Corps of Engineers is soliciting comments from the public; Federal, state, and local agencies and officials; Indian Tribes; and other interested parties in order to consider and evaluate the impacts of this activity. Any comments received will be considered by the Corps of Engineers to determine whether to issue, modify, condition or deny a permit for this project. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects, and the other public interest factors listed above. Comments are used in the preparation of an Environmental Assessment and/or an Environmental Impact Statement pursuant to the National Environmental Policy Act. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the activity.

If there are any questions concerning this public notice, please contact Robert Vega at 843-329-8044 or toll free at 1-866-329-8187.


Steve Brooks

Project Manager
SCDHEC-OCRM




SHEET 2 OF 7

SHEET 3 OF



SHEET 4 OF

SHEET 5 OF 7



SHEET 7 OF 7



C. Earl Hunter, Commissioner

Promoting and protecting the health of the public and the confronment.

Notification of Joint Public Notice

Enclosed are public notices issued by the SCDHEC Office of Ocean and Coastal Resource Management and the U.S. Army Corps of Engineers. All interested parties are allowed 30 days for major developments and 15 days for minor developments after receipt of the public notices to file written comments to the OCRM pertaining to the applications. Only those comments received within this period must be reviewed by the OCRM in processing the permit application. Any person wishing notification of the initial OCRM decision on any specific public notice must make written request within the designated review period for that public notice.

APPLICANT Sun-in-Laws, LLC PUBLIC NOTICE NUMBER 2006-3643-3IH

SUSPENSE DATE June 9, 2007

May 25, 2007

Ocean and Coastal Resource Management

Myrtle Beach Office • 927 Shine Avenue • Myrtle Beach, SC 29588

Phone: 843-238-4528 • Fax: 843-238-4526 • www.scdhec.gov

JOINT PUBLIC NOTICE

CHARLESTON DISTRICT, CORPS OF ENGINEERS 1949 Industrial Park Road, Room 140 Conway, South Carolina 29526 and

THE S.C. DEPARTMENT OF HEALTH AND ENVIRONMENTAL CONTROL Office of Ocean and Coastal Resource Management 1362 McMillan Avenue, Suite 400 Charleston, South Carolina 29405

REGULATORY DIVISION Refer to: P/N #2006-3643-3IH

January 5, 2007

Pursuant to Section 10 of the Rivers and Harbors Act of 1899 (33 U.S.C. 403), and the South Carolina Coastal Zone Management Act (48-39-10 et.seq.) an application has been submitted to the Department of the Army and the South Carolina Department of Health and Environmental Control ACTIVITY

SUN-IN-LAWS, LLC c/o: BEAM & ASSOCIATES P.O. BOX 11863 **COLUMBIA, SOUTH CAROLINA 29211**

for a permit to construct a dock structure and a covered boat lift in

DUNN SOUND CREEK

at a location described as Lot 2 off of a private driveway at the terminus of Little River Neck Road, Little River, Horry County, South Carolina (Latitude 78.58046, Longitude 33.86011)

In order to give all interested parties an opportunity to express their views

NOTICE

is hereby given that written statements regarding the proposed work will be received by both of the above mentioned offices until


12 O'CLOCK NOON, MONDAY, FEBRUARY 5, 2007

from those interested in the activity and whose interests may be affected by the proposed work.

The proposed work consists of constructing a 10' x 30' pierhead attached to high ground by a 4' x 105' walkway. In addition, a 10' x30' floating dock will be installed adjacent to and east of the pierhead and attached the pierhead by a 3' x 20' ramp. Furthermore, adjacent to and west of the existing pierhead will be a 12' x 20' covered boatlift.

NOTE: Plans depicting the work described in this notice are available and will be provided, upon receipt of a written request, to anyone that is interested in obtaining a copy of the plans for the specific project. The request must identify the project of interest by public notice number and a self-addressed stamped envelope must also be provided for mailing the drawings to you. Your request for drawings should be addressed to the

REGULATORY DIVISION Refer to: P/N #2006-3643-31H



January 5, 2007

U.S. Army Corps of Engineers ATTN: REGULATORY DIVISION 1949 Industrial Park Road, Room 140 Conway, South Carolina 29526

The work shown on this application must also be certified as consistent with applicable provisions of the Coastal Zone Management Program (15 CFR 930). The District Engineer will not process this application to a conclusion until such certification is received. The applicant is hereby advised that supplemental information may be required by the State to facilitate the review. Persons wishing to comment or object to State certification must submit all comments in writing to the South Carolina Department of Health and Environmental Control at the above address within thirty (30) days of the date of this notice.

This initiates the Essential Fish Habitat (EFH) consultation requirements of the Magnuson-Stevens Fishery Conservation and Management Act. Implementation of the proposed project would impact acres of estuarine substrates and emergent wetlands utilized by various life stages of species comprising the red drum, shrimp, and snapper-grouper management complexes. Our initial determination is that the proposed action would not have a substantial individual or cumulative adverse impact on EFH or fisheries managed by the South Atlantic Fishery Management Council and the National Marine Fisheries Service (NMFS). Our final determination relative to project impacts and the need for mitigation measures is subject to review by and coordination with the NMFS.

The District Engineer has consulted the latest published version of the National Register of Historic Places for the presence or absence of registered properties, or properties listed as being eligible for inclusion therein, and this worksite is not included as a registered property or property listed as being eligible for inclusion in the Register. Consultation of the National Register constitutes the extent of cultural resource investigations by the District Engineer, and he is otherwise unaware of the presence of such resources. Presently unknown archaeological, scientific, prehistorical, or historical data may be lost or destroyed by the work to be accomplished under the requested permit.

The District Engineer has consulted the most recently available information and has determined that the project will have no effect on any Federally endangered, threatened, or proposed species and will not result in the destruction or adverse modification of designated or proposed critical habitat. This public notice serves as a request to the U.S. Fish and Wildlife Service and the National Marine Fisheries Service for any additional information they may have on whether any listed or proposed endangered or threatened species or designated or proposed critical habitat may be present in the area which would be affected by the activity, pursuant to Section 7(c) of the Endangered Species Act of 1973 (as amended).

Pursuant to Section 106 of the National Historic Preservation Act (NHPA), this public notice also constitutes a request to Indian Tribes to notify the District Engineer of any historic properties of religious and cultural significance to them that may be affected by the proposed undertaking.

In accordance with the NHPA, the District Engineer has also consulted the latest published version of the National Register of Historic Places for the presence or absence of registered properties, or properties listed as being eligible for inclusion therein, and this worksite is not included as a registered property or property listed as being eligible for inclusion in the Register. To insure that other cultural resources that the District Engineer is not aware of are not overlooked, this public notice also serves as a request to the State Historic Preservation Office to provide any information it may have with regard to historic and cultural resources.

REGULATORY DIVISION Refer to: P/N #2006-3643-3IH



REGULATORY DIVISION Refer to: P/N #2006-3643-3IH


January 5, 2007

Any person may request, in writing, within the comment period specified in this notice, that a public hearing be held to consider this application. Requests for a public hearing shall state, with particularity, the reasons for holding a public hearing.

The decision whether to issue a permit will be based on an evaluation of the probable impact including cumulative impacts of the activity on the public interest. That decision will reflect the national concern for both protection and utilization of important resources. The benefit which reasonably may be expected to accrue from the project must be balanced against its reasonably foreseeable detriments. All factors which may be relevant to the project will be considered including the cumulative effects thereof; among those are conservation, economics, aesthetics, general environmental concerns, wetlands, historic properties, fish and wildlife values, flood hazards, flood plain values, land use, navigation, shoreline erosion and accretion, recreation, water supply and conservation, water quality, energy needs, safety, food and fiber production and, in general, the needs and welfare of the people. A permit will be granted unless the District Engineer determines that it would be contrary to the public interest. In cases of conflicting property rights, the Corps of Engineers cannot undertake to adjudicate rival claims.

The Corps of Engineers is soliciting comments from the public; Federal, state, and local agencies and officials; Indian Tribes; and other interested parties in order to consider and evaluate the impacts of this activity. Any comments received will be considered by the Corps of Engineers to determine whether to issue, modify, condition or deny a permit for this project. To make this decision, comments are used to assess impacts on endangered species, historic properties, water quality, general environmental effects, and the other public interest factors listed above. Comments are used in the preparation of an Environmental Assessment and/or an Environmental Impact Statement pursuant to the National Environmental Policy Act. Comments are also used to determine the need for a public hearing and to determine the overall public interest of the activity.

If there are any questions concerning this public notice, please contact Rob Huff at 843-365-4239.



LOCATION MAP

FOR PERMITTING ONLY NOT FOR CONSTRUCTION

LITTLE RIVER QUAD

APPLICANT: Sun-In-Laws

ACTIVITY: Construct Dock

and Boat Lift

P/N# 2006-3643-3TH

LOCATION:

Little River Neck North Myrtle Beach


COUNTY: Horry


DATE:


11/5/2006

RECEIVED


NOV 1 4 2006







FOR PERMITTING ONLY NOT FOR CONSTRUCTION



APPLICANT:

Sun-In-Laws **ACTIVITY: Construct Dock** and Boat Lift

P/N# 2006-3643-35H

LOCATION:

Little River Neck North Myrtle Beach

COUNTY: Horry


DATE:

11/5/2006

NOV 1 4 2006

MYRTLE BEACH OFFICE

SHEET 4 of 7



Sun-in-Laws
ACTIVITY: Construct Dock
and Boat Lift

P/N# 2006-3643-314

Little River Neck

North Myrtle Beach


COUNTY: Horry

DATE:


11/5/2006

NOV 1 4 2006 DHEC-OCRIM MYRTLE BEACH OFFICE

SHEET5 of 7



NTS



FOR PERMITTING ONLY NOT FOR CONSTRUCTION

APPLICANT:

· Sun-in-Laws

ACTIVITY: Construct Dock

and Boat Lift

P/N# 2006-3643-3 IH

LOCATION:

Little River Neck

North Myrtle Beach

COUNTY: HORRY

DATE:

11/5/2006

RECEIVE

NOV 1 4 2006

